

NYSDOH Clinical Practice Guideline: Motor Disorders

| Table 1: Developmental Motor Milestones | | | | | | |
|---|---|--|--|--|--|--|
| Age | Gross Motor | Fine Motor | | | | |
| Birth-6 wks | early reflexes present | grabs adult fingers with tight-fisted hands | | | | |
| 6 wk-4 mos | holds head erect turns from back to side | holds a rattle reaches for dangling object with | | | | |
| 4-8 mos. | early reflexes fading can hold head steady rolls from back to stomach sits alone | both hands picks up cube bangs toys together uses thumb and forefinger grasp | | | | |
| 8–12 mos. | crawls on hands and knees stands alone walks with help | stacks two cubes releases hold on objects uses pincer grasp can hold a crayon | | | | |
| 12-18 mos. | throws ball crawls or climbs up stairs lowers self from standing walks alone | turns knobs pushes, pulls, pokes toys turns pages in hardbound books | | | | |
| 18–24 mos. | stands up from stooping climbs onto chairs stands on one foot rides big toy cars kicks ball | scribbles with crayon completes simple puzzles | | | | |
| 24–29 mos. | walks down steps with alternating feet runs, jumps with two feet | strings beadsscribbles are more controlled | | | | |
| 29-36 mos. | jumps in placerides tricycle | uses scissors | | | | |
| Adapted from | : Geralis 1991 | | | | | |



NYSDOH Clinical Practice Guideline: Motor Disorders

| | elevant to Normal Feeding | | |
|--|--|---|--|
| Age / Food | Oral-motor skill | Motor skills | |
| Birth-4 months Liquid | Suckle on nipple | Head control acquired | |
| 4-6 months Purees | Suckle off spoon Progress from suckle to suck | Sitting balance Hands to midline Hand-to-mouth play | |
| 6-9 months Purees Soft chewables | Assisted cup drinking Vertical munching Limited lateral tongue movements | Reach, pincer grasp Assists with spoon Finger feeding begins | |
| 9-12 months Ground soft foods Lumpy purees | Increased independent cup drinking | Refines pincer grasp Finger feeding Grasps spoon with hand | |
| 12-18 months All textures | Lateral tongue actionDiagonal chewStraw drinking | More independent feeding Scoops food, brings to mouth | |
| 18-24 months Chewable food | Rotary chewing | Independence increases | |
| 24+ months Tougher solids | Increase in mature chewing | Total self-feeding Cup drinking, open cup Increased use of fork | |



/z/

/ʃ/

/t f/

/d3/

/1/ /1-/

/-1/

/r/ /r-/

/-34/

7;0-9;0

6;0

6;0

6;0

5;0

6;0

8;0 8;0 7;0-9;0

7;0

7;0

7;0

6;0

7;0

8;0

8;0

Smit, A. B., Hand, L., Freilinger, J. J., Bernthal, J. E., & Bird, A. (1990). The Iowa Articulation Norms Project and its Nebraska replication. Journal of Speech and Hearing Disorders, 55, 779-798.

Recommended ages of acquisition (years; months) for phonemes and clusters, based generally on 90% levels of acquisition

| | | O | | | |
|---------------|---------|---------|------------------------------|---------|---------|
| Phoneme | Females | Males | Word-Initial Clusters | Females | Males |
| /m/ | 3;0 | 3;0 | /tw kw/ | 4;0 | 5;6 |
| /n/ | 3;6 | 3;0 | /sp st sk/ | 7;0-9;0 | 7;0-9;0 |
| / -ŋ / | 7;0-9;0 | 7;0-9;0 | /sm sn/ | 7;0-9;0 | 7;0-9;0 |
| /h-/ | 3;0 | 3;0 | /sw/ | 7;0-9;0 | 7;0-9;0 |
| /w-/ | 3;0 | 3;0 | /sl/ | 7;0-9;0 | 7;0-9;0 |
| /j-/ | 4;0 | 5;0 | /pl bl kl gl fl/ | 5;6 | 6;0 |
| /p/ | 3;0 | 3;0 | /pr br tr dr kr gr fr/ | 8;0 | 8;0 |
| /b/ | 3;0 | 3;0 | /\theta r/ | 9;0 | 9;0 |
| /t/ | 4;0 | 3;6 | /skw/ | 7;0-9;0 | 7;0-9;0 |
| /d/ | 3;0 | 3;6 | /spl/ | 7;0-9;0 | 7;0-9;0 |
| /k/ | 3;6 | 3;6 | /spr str skr/ | 7;0-9;0 | 7;0-9;0 |
| /g/ | 3;6 | 4;0 | | | |
| /f/ /f-/ | 3;6 | 3;6 | | | |
| /-f/ | 5;6 | 5;6 | | | |
| /v/ | 5;6 | 5;6 | | | |
| /θ/ | 6;0 | 8;0 | | | |
| /ð-/ | 4;6 | 7;0 | | | |
| /s/ | 7;0-9;0 | 7;0-9;0 | | | |